



## 'Compact' ball valves

# PE female threaded outlet

# FPM

## ITEM 722



| REFERENCE | DESCRIPTION                          | Net weight | Volumen (m <sup>3</sup> ) | Gross weight | Unidades lote |
|-----------|--------------------------------------|------------|---------------------------|--------------|---------------|
| 111C140   | VALVULA COMPACT R/H-PE 20-1/2" FPM   | 0,122      | 0,00892                   | 2,52         | 20            |
| 111C141   | VALVULA COMPACT R/H-PE 25-3/4" FPM   | 0,1717     | 0,00892                   | 3,622        | 20            |
| 111C142   | VALVULA COMPACT R/H-PE 32-1" FPM     | 0,25       | 0,01553                   | 3,885        | 15            |
| 111C143   | VALVULA COMPACT R/H-PE 40-1 1/4" FPM | 0,381      | 0,02244                   | 6,78         | 15            |
| 111C144   | VALVULA COMPACT R/H-PE 50-1 1/2" FPM | 0,566      | 0,02244                   | 6,82         | 10            |
| 111C145   | VALVULA COMPACT R/H-PE 63-2" FPM     | 1,016      | 0,01553                   | 5,26         | 5             |



## ITEM 722 | PE female threaded outlet FPM

| CÓDIGO | d-r       | DN | PESO (g) | A   | B   | C  | D  | F   | PN   | TIPO ROSCA |
|--------|-----------|----|----------|-----|-----|----|----|-----|------|------------|
| 11C140 | 20-1/2"   | 15 | 122      | 166 | 48  | 65 | 17 | 80  | PN10 | BSP        |
| 11C141 | 25-3/4"   | 20 | 149.38   | 178 | 53  | 65 | 20 | 80  | PN10 | BSP        |
| 11C142 | 32-1"     | 25 | 250      | 197 | 60  | 73 | 23 | 101 | PN10 | BSP        |
| 11C143 | 40-1 1/4" | 32 | 381      | 222 | 74  | 81 | 26 | 130 | PN10 | BSP        |
| 11C144 | 50-1 1/2" | 40 | 566      | 240 | 87  | 80 | 33 | 130 | PN10 | BSP        |
| 11C145 | 63-2"     | 50 | 1016     | 276 | 104 | 89 | 39 | 150 | PN10 | BSP        |



## Product Documents



## Product Certificates

## Company Certificates

