




PVC-U pressure fittings

"AIR L" 90° elbow, solvent socket outlet ITEM 624

| REFERENCE | DESCRIPTION | Net weight | Volumen (m ³) | Gross weight | Unidades lote |
|-----------|--|------------|---------------------------|--------------|---------------|
| 1001650 | "AIR L" 90° ELBOW S. SOCKET OUTLET 50-20 | 0,144743 | 0,02244 | 4,83 | 30 |
| 1001651 | "AIR L" 90° ELBOW S. SOCKET OUTLET 63-20 | 0,270733 | 0,03129 | 8,695 | 30 |
| 1001652 | "AIR L" 90° ELBOW S. SOCKET OUTLET 75-20 | 0,472328 | 0,04717 | 12,45 | 25 |





ITEM 624 | "AIR L" 90° elbow, solvent socket outlet

| Código | A | d | Peso (g) | B | C | D | PN | MEDIDA |
|--------|----|----|----------|----|----|-----|------|---------|
| 01650 | 50 | 20 | 148 | 61 | 31 | 88 | PN16 | MÉTRICO |
| 01651 | 63 | 20 | 235 | 76 | 38 | 109 | PN16 | MÉTRICO |
| 01652 | 75 | 20 | 455 | 90 | 44 | 130 | PN16 | MÉTRICO |



Product Documents



Product Certificates



Company Certificates

