



Válvulas de bola 'Basic' bidireccional

Salida mixta actuador neumático simple efecto - FPM

ITEM 674



| REFERENCIA | DESCRIPCIÓN | Peso neto | Volumen (m ³) | Peso bruto | Unidades lote |
|------------|--------------------------------------|-----------|---------------------------|------------|---------------|
| 111D580 | V.B.BID.ACT.N S/E S/MIXTA 1/2" FPM | 1,6115 | 0,01553 | 1,9382 | 1 |
| 111D581 | V.B.BID.ACT.N S/E S/MIXTA 3/4" FPM | 1,6715 | 0,02243 | 2,1592 | 1 |
| 111D582 | V.B.BID.ACT.N S/E S/MIXTA 1" FPM | 1,8454 | 0,03129 | 2,4184 | 1 |
| 111D583 | V.B.BID.ACT.N S/E S/MIXTA 1 1/4" FPM | 2,699 | 0,03129 | 3,272 | 1 |
| 111D584 | V.B.BID.ACT.N S/E S/MIXTA 1 1/2" FPM | 3,075 | 0,03129 | 3,648 | 1 |
| 111D585 | V.B.BID.ACT.N S/E S/MIXTA 2" FPM | 3,622 | 0,03648 | 4,216 | 1 |
| 111D586 | V.B.BID.ACT.N S/E S/MIXTA 2 1/2" FPM | 5,678 | 0,04460 | 0 | 1 |
| 111D587 | V.B.BID.ACT.N S/E S/MIXTA 3" FPM | 11,54 | 0,04460 | 0 | 1 |



ITEM 674 | Salida mixta actuador neumático simple efecto - FPM

| CÓDIGO | f - r | Actuador | PESO (g) | DN | A | B | C | D | E | F | G | PN | TIPO ROSCA |
|--------|-----------|----------|----------|----|-----|-----|----|-----|-----|-----|----|------|------------|
| 11D580 | 20-1/2" | H050SE | 1384.8 | 15 | 86 | 55 | 16 | 192 | 138 | 44 | 17 | PN16 | BSP |
| 11D581 | 25-3/4" | H050SE | 1428.92 | 20 | 99 | 62 | 19 | 197 | 138 | 49 | 20 | PN16 | BSP |
| 11D582 | 32-1" | H050SE | 1562.25 | 25 | 122 | 72 | 23 | 208 | 138 | 66 | 23 | PN16 | BSP |
| 11D583 | 40-1 1/4" | H063SE | 2421 | 32 | 131 | 88 | 25 | 248 | 155 | 71 | 26 | PN16 | BSP |
| 11D584 | 50-1 1/2" | H063SE | 2713.92 | 40 | 155 | 103 | 31 | 265 | 155 | 75 | 33 | PN16 | BSP |
| 11D585 | 63-2" | H063SE | 3234.4 | 50 | 180 | 120 | 38 | 307 | 155 | 89 | 29 | PN16 | BSP |
| 11D586 | 75-2 1/2" | H075SE | 6050 | 65 | 202 | 150 | 45 | 376 | 210 | 119 | 33 | PN10 | BSP |
| 11D587 | 90-3" | H100SE | 11110 | 80 | 245 | 181 | 51 | 426 | 280 | 140 | 36 | PN10 | BSP |



Documentación de Producto



Certificados de Producto

Certificados de Empresa

