



Raccords pression à coller/mixte

Croix 90° Netvitc System PPFV ITEM 44N



RÉFÉRENCE	DESCRIPTION	Poids net	Volume (m ³)	Poids brut	Unités par lot
101N367	CROIX 90° NETVITC SYSTEM PP 90	0,889	0,04880	9,79	10
101N368	CROIX 90° NETVITC SYSTEM PP 110	1,3559	0,06150	7,7	5
101N369	CROIX 90° NETVITC SYSTEM PP 125	1,724	0,06150	7,73	4
101N370	CROIX 90° NETVITC SYSTEM PP 140	2,64	0,06149	6,2	2
101N371	CROIX 90° NETVITC SYSTEM PP 160	3,185	0,04879	7,35	2
101N372	CROIX 90° NETVITC SYSTEM PP 200	5,19	0,06150	6,17	1



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Service d'Attention
Technique Commerciale
+34 966 105 888



www.hidroten.es



ITEM 44N | Croix 90° Netvitc System PPFV

CÓDIGO	A	PESO	BRIDA	A	B	C	PN	MEDIDA
1N367	90	921	90	202	121	50	PN10	MÉTRICO
1N368	110	1356	110	238	144	61	PN10	MÉTRICO
1N369	125	1702	125	276	159	70	PN10	MÉTRICO
1N370	140	2640	140	301	176	76	PN10	MÉTRICO
1N371	160	3185	160	334	201	87	PN10	MÉTRICO
1N372	200	5190	200	408	251	106	PN10	MÉTRICO





Documentation Produit



Certifications de produits

Certificats d'entreprise



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention
Technique Commerciale
+34 966 105 888



www.hidroten.es