



Válvulas de esfera "Basic" bidireccional

Válv. Bola "Basic"


bidireccional FPM salida mixta act. Neumático d/e

ITEM 679



| REFERÊNCIA | DESCRIÇÃO | Peso líquido | Volume (m ³) | Peso bruto | Unidades por lote |
|------------|--------------------------------------|--------------|--------------------------|------------|-------------------|
| 111D680 | V.B.BID.ACT.N D/E S/MIXTA 1/2" FPM | 0,8615 | 0,01553 | 1,1882 | 1 |
| 111D681 | V.B.BID.ACT.N D/E S/MIXTA 3/4" FPM | 0,9215 | 0,02243 | 1,4092 | 1 |
| 111D682 | V.B.BID.ACT.N D/E S/MIXTA 1" FPM | 1,8454 | 0,03129 | 2,4184 | 1 |
| 111D683 | V.B.BID.ACT.N D/E S/MIXTA 1 1/4" FPM | 2,099 | 0,03129 | 2,672 | 1 |
| 111D684 | V.B.BID.ACT.N D/E S/MIXTA 1 1/2" FPM | 2,475 | 0,03129 | 3,048 | 1 |
| 111D685 | V.B.BID.ACT.N D/E S/MIXTA 2" FPM | 3,022 | 0,00891 | 3,2094 | 1 |
| 111D686 | V.B.BID.ACT.N D/E S/MIXTA 2 1/2" FPM | 5,678 | 0,04460 | 0 | 1 |
| 111D687 | V.B.BID.ACT.N D/E S/MIXTA 3" FPM | 7,19 | 0,04460 | 0 | 1 |





ITEM 679 | Válv. Bola “Basic” bidireccional FPM salida mixta act. Neumático d/e

| CÓDIGO | f -r | Actuador | PESO (g) | DN | A | B | C | D | E | F | G | PN | TIPO ROSCA |
|--------|-----------|----------|----------|----|-----|-----|----|-----|-----|-----|----|------|------------|
| 11D680 | 20-1/2" | H050DE | 1285 | 15 | 86 | 55 | 16 | 192 | 138 | 44 | 17 | PN16 | BSP |
| 11D681 | 25-3/4" | H050DE | 1333 | 20 | 99 | 62 | 19 | 197 | 138 | 49 | 20 | PN16 | BSP |
| 11D682 | 32-1" | H050DE | 1478 | 25 | 122 | 72 | 23 | 209 | 138 | 66 | 23 | PN16 | BSP |
| 11D683 | 40-1 1/4" | H050DE | 1748 | 32 | 131 | 88 | 25 | 232 | 138 | 71 | 26 | PN16 | BSP |
| 11D684 | 50-1 1/2" | H050DE | 2079.2 | 40 | 155 | 103 | 31 | 249 | 138 | 75 | 33 | PN16 | BSP |
| 11D685 | 63-2" | H050DE | 2664.8 | 50 | 180 | 120 | 38 | 291 | 138 | 89 | 29 | PN16 | BSP |
| 11D686 | 75-2 1/2" | H075DE | 5580 | 65 | 202 | 150 | 45 | 375 | 210 | 119 | 33 | PN10 | BSP |
| 11D687 | 90-3" | H075DE | 7190 | 80 | 245 | 181 | 51 | 402 | 210 | 140 | 36 | PN10 | BSP |





Documentação do Produto



Certificados do Produto

Certificados da Empresa

